

iso bearing dimensions size pdf file

Our company offers different iso bearing, bearing standards pdf, bearing standards pdf, bearing standards pdf at Wholesale Price? Here, you can get high quality and high efficient iso bearing

Bearing Tolerances and Precision Levels | AST Bearings Tolerances for tapered roller bearings can be found in ABMA Standard 19.1 and are not included in these tables. Table IA. Tolerance Class ABEC-1, RBEC-1 (ISO

ISO/TC 4 - Rolling bearings - ISO Subcommittee, Subcommittee Title, Published standards, Standards under development. ISO/TC 4/SC 4, Rolling bearings – Geometrical product specifications ISO 15:2017 - Si ISO 2017. Rolling bearings — Radial bearings —. Boundary dimensions The objective of this document is to restrict the number of radial bearing sizes just

@@@@@@@@								
	d	C	B	D	h1	?	SKU:	width:
nu 307	-	-	-	-	-	-	-	-
623	4.5000 in	-	-	11.8800 to 14.5000 i	-	-	-	-
6203 c3	-	-	-	2.0000 in	-	-	-	-
ge	16 mm	-	-	-	-	-	-	-
6901	-	-	-	-	-	-	-	-
fytb 25 tf	-	-	4.8750 in	3.9063 in	-	-	-	-
nu 213	2.2500 in	-	3.3600 in	8.2000 in	-	-	-	-
22211 e	2.4375 in	-	3.3750 in	-	-	-	-	-
22230	50 mm	-	-	-	-	-	-	-
6218 c3	60 mm	-	-	-	175 mm	6 °	-	-
22222 e	-	-	-	5.3000 in	-	-	-	-
6206 zz	-	-	0.1562 in	0.5000 in	-	-	-	-
nu 315	1 in	-	-	1-1/8 in	-	-	-	-
syj 25 tf	80 mm	-	-	-	-	-	-	-
6015	-	-	-	-	-	-	-	-
61907	-	-	-	-	-	-	-	-
6008 2rs	-	-	9mm	32mm	-	-	-	-
7309	-	-	2-1/8 in	4-7/8" to	-	-	-	-
nup 309	1.2500 in	-	-	4-7/16" to	-	-	-	-
22312	-	-	6mm	-	-	-	2mm9301 wicrsum-timke	-
nup 206	-	-	0.6800 in	8.5000 in	-	-	-	-
sy 60 tf	1.1875 in	-	3.2500 in	-	-	-	-	-
nj 307	-	66.675 mm	-	-	-	9 °	-	-

nkib 5905	-	-	109 mm	455 mm	-	-	-	-
3	-	-	12mm	37mm	-	-	6301-c3-f ag	-
6900	-	-	3.8600 in	-	-	-	-	-
6208 2rs	1.3125 in	-	-	-	-	-	-	-
nj 208	80 mm	-	-	-	-	-	-	-
22214 e	1.7500 in	-	-	-	-	-	-	-
snl 526	0.8750 in	-	-	-	-	-	-	-
ge 70 es	30mm	-	-	55mm	-	-	7006cd/p4 aqbca-skf	-
7309 becbm	100 mm	-	50 mm	150 mm	-	-	-	-
6202 zz	-	-	-	-	-	-	-	-
6305 2rs	1.3750 in	-	-	-	-	-	-	-
6216 c3	-	-	24 mm	125 mm	-	-	-	-
6312 zz c3	-	-	-	6-1/4 in	-	-	-	-
p208	2.6875 in	-	5-3/4 in	10.88 to 12.63 in	-	-	-	-
624	50mm	-	-	110mm	-	-	21310-e1- k-c3-fag	-
6904	-	-	6mm	22mm	-	-	2mm9300 wicrsu- timke	-
bt1b3292 70	-	-	-	-	-	-	-	-
h322	0.9375 in	-	-	-	-	-	-	-
510	90mm	-	52.4mm	160mm	-	-	23218cc/ w33-qbl	-
22232	-	-	-	3.2500 in	-	-	-	-
fy 60 tf	170mm	-	-	260mm	-	-	-	-
nu 205 ecp	80 mm	-	-	140 mm	-	-	-	-
va228	180 mm	-	-	290 mm	-	-	-	-
1206	-	-	-	-	-	-	-	-
22207	280 mm	-	106 mm	420 mm	-	-	-	-
6317c3	-	-	-	-	-	-	-	-
33220	60 mm	-	-	68 mm	-	-	-	45 mm
6804	-	-	3.8750 in	-	-	-	-	-
6226	-	-	4-3/4 in	-	-	-	-	-
va405	0.5000 in	-	-	-	-	-	-	-
6022	-	-	-	-	-	-	-	-
22217 e	-	-	-	-	-	-	-	-
becbp	-	-	24 mm	127 mm	-	-	-	-
1211 ektn9	-	-	5 in	-	-	-	-	-

nutr 3580	-	-	5-9/64 in	11-5/8 to 13-1&	-	-	-	-
7314	1.7500 in	-	0.1875 in	2.1250 in	-	-	-	-
63007	-	-	-	-	-	-	-	-
2208	-	-	-	101 mm to 109 mm	-	-	-	-
22209	-	-	46mm	-	-	-	51228-nsk	-
7313 becbm	80 mm	-	22 mm	-	-	-	-	-
22205 e	3.4375 in	-	-	-	-	-	-	-
2z	1/2 in	-	-	7/8 in	-	-	-	-
3200	-	-	-	-	-	-	-	-
se 509	-	-	10 mm	340 mm	-	-	-	-
23152	-	-	2.7500 in	1.6300 in	-	-	-	-
nkib 5901	-	-	1.5625 in	-	-	-	-	-
ge 100 es	3.2500 in	-	1.4375 in	5.5115 in	-	-	-	-
6404	45 mm	-	-	100 mm	-	-	-	-
nu 212	2 in	-	5/64 in	2-3/4 in	-	-	-	-
7309 becbp	35 mm	-	21 mm	80 mm	-	-	-	-
6806	35mm	-	14mm	62mm	-	-	6007-2z-skf	-
km11	1.5000 in	-	-	2.5000 in	-	-	-	-
nkib 5904	-	-	-	174.8 to 201.7 mm	-	-	-	-
fyj 60 tf	-	-	-	3.5000 in	-	-	-	0.6250 in
3036	-	-	2.0000 in	-	-	-	-	-
22324	3/4 in	-	-	1-1/8 in	-	-	-	-
22206 e	-	-	10.3400 in	-	-	-	-	-
7200 bep	-	-	-	-	-	-	-	-
6228	-	-	-	-	-	-	-	-
627	15 mm	-	9 mm	32 mm	-	-	-	-

ISO/TC 4 - Rolling bearings - ISOStandardization of all types and all sizes of bearing elements based on the principle of rolling motion, including the lubrication, their accessories, application and

ISO 15:2017(en), Rolling bearings — Radial bearingsTapered roller bearings, insert bearings and some types of needle roller bearings and instrument precision bearings standardized by ISO do not conform to this Bearing number | Basic Bearing Knowledge | Koyo BearingsJ, Tapered roller bearing, whose outer ring width, contact angle and outer ring small inside diameter conform to ISO standards. Spherical roller bearings

@@@@@

ISO
[6306 c3](#)

KOMATSU
[16002](#)

KOYO
[7205](#)

NACHI
[6207 2rs](#)

NSK
[6203 ntn](#)

6905	nu 314	snl 528	yet 207	6207
ucp 211	ucp 212	tmft 24	km8	sf06a24
3209	yet 208	6319	yet 204	6304lu
becbm	22208 e	7306	ucp 209	6304
6217 c3	snl 3138	30203	6314 c3	6200lu
axk 6085	7313	snl 3134	nu 313	ass205nr
22313	rls5	61802	ge30es	6205v12
sy 20 tf	30209	syj 50 tf	6213 c3	snr
6903 2rs	6205 c3	km6	uc206	6306lu
nu 216	22208	7206	ucp 205	sf0649px1
30212	6405	6201 2rs	atn9	6208
nu 318	51205	6317	lm8uu	6301lu
3212	sy512m	32005	6902 2rs	6005
rls6	7210	61905	61803	6305lu
6208 zz c3	6406	61801	6802	6002
98205	207	61806	32206	6008lu
51112	snl 532	22220 e	7208	6202z
6018	32208	61903	32008	608
5203	ucp206	22210 e	yar 209	sf0815
fyj 508	6805	607	t2ed045	6207lu
2207	22215 e	6322	6203 2z	6205 ntn
6324	ge15c	61900	rls8	sf4852px1
63032rsh	22209 ek	30207	22314	6301
syj 20 tf	2205	22217	3202	6202 llu
ge12c	6005 2rsh c3	16006	ucp 204	6901
6905 2rs	rls10	va201	nkib 5903	ass205
6209 zz c3	6202 2z	nu 210	snl 515	6003
6007 2rs	32010	6315 c3	22226	6004 llu
6409	nu 317	6307 c3	6207 c3	6205lb
axk 5070	3205	51108	6206 c3	6202 ntn
nutr 1542	snl 520	51102	51103	608lu
nu 308	625	sy508m	fy 40 tf	6205 llu
nu 2212	6213	snl 3140	6204 zz	cr0643l
6204zz	22217 ek	nutr 50110	nu 311	cr1252l
22326	6000 2rs	62206	6020	6007
6210 2rs	6012	6014	7207	fl205j
6306 2rs	22216	nu 309	6407	30312d
5206	51105	3207	harga enduro c3	6302
22310	ucp 210	syj 40 tf	nu 316	6904
32004	6308 c3	61906	22214	6305 ntn
7322 becbm	6300	22211	enduro c3	6303 ntn
1206 etn9	6311 c3	axk 4060	tn9	6002lb
528	7312	nu 205	6205zz	30313d
6308 2rs	51100	32007	3203	6210
7312 becbm	6005 2rs	22215	7314 becbm	sf06a27
6304 2rs	3308	2rsh	3310	ass204

etn9	tih030m	6318	km4	6208lu
1205	61902	km5	tmmd 100	6206 llu
7202	16005	61901	6016	6203
7204 bep	6214	6218	6318 c3	6201lu
uc205	2rs1	22228	snl 3144	6203 lu
w64	61800	sy 50 tf	snl 3040	30306d
30203 j2	6216	2rs	uc207	6209lu
7306 bep	22212 e	6320	7311	6002 llu
32009	6006 2rs	e2	208	6001 llu
nu 312	22224 ek	snl 524	6205 2z	tmb205
3201	608z	sy507m	609	6303 lu
2210	22222 ek	syj 80 tf	608rs	r6z
6005 2z	6208 c3	snl 509	22210 ek	6204 lu
32310	6903	3306	axk 1730	2rsr
rls7	6315	3204	km9	6205
29418	6220	22322	fytb 30 tf	t41a
syj 100 tf	6215	22226 ek	51110	6207
nj 310	16004	51204	6203 2rsjem	c3
nu 208	61805	6222	2206	6305
syj 35 tf	fy40tf	6320 c3	6305 c3	snv120
nup 308	snl 511	6217	30202	6201
rls4	6002 2rs	3304	6024	6208
61910	6212 c3	tmft 33	6309 2z c3	6306
nj 205	22216 e	3210	6303 2rs	6201 2rsr
22224 e	61904	206	7204	snv160
61810	30208	30210	22222	6308
5205	vl0241	22224	c4	snv200
7203	6011	6324 c3	6317 c3	snv140
vt143	snl 517	6013	22218	6202
6026	22212	62205	6202	6307